CITIZEN
Micro HumanTech

CITIZEN SYSTEMS JAPAN CO., LTD.

6-1-12,TANASHI-CHO,NISHI-TOKYO-SHI,TOKYO 188-8511,JAPAN
Tel.(81)-424-68-4988 Fax.(81)-424-68-4996
http://www.citizen-systems.co.jp
e-mail : sales-oe@systems.citizen.co.jp

Printed in Japan

PRINTED WITH SOY INK.

101210 CTLG2011

CITIZEN
Micro HumanTech

PRODUCT GUIDE 2011

ELECTRONIC CALCULATORS



Printer Series

Scientific Series

Desktop Series

Semi Desktop Series

Pocket Series

CITIZEN SYSTEMS JAPAN CO., LTD.

Leading Technology for Humanity

Determined to develop as a corporation that offers new value for everyone everywhere through high-quality products and services . . .
. . . Citizen Systems is reinventing itself.

“Leading Technology for Humanity”

— Our corporate slogan expresses the aspirations of every Citizen Systems employee, each of whom is striving to realize a shared ideal.
We have superior miniaturization and refinement technologies cultivated by members of the Citizen Group.
We have a desire to design products that are easy for anyone to use.
And we have the skills required to pursue quality at every turn, combined with an unswerving commitment to manufacturing.
We draw on these strengths to manufacture more advanced products for a wide range of fields, including health information management, information/entertainment and business information equipment.
Our aim is to achieve advances in convenience, enabling people to lead more abundant and comfortable lives anytime and anywhere — and to disseminate people-friendly technologies and services that help individuals lead healthier, more fulfilling lives.

“Leading Technology for Humanity”
— We continue to take up new challenges with an eye on our customers and with these words in mind.

CITIZEN SYSTEMS JAPAN CO., LTD.

Citizen Systems’ electronic calculators, for countless personal and business needs.

We pursued “usability” based on our miniaturization and refinement technologies and LCD technology cultivated in the watch business to provide users with the greatest possible moment-by-moment operating comfort, precisely because these products find constant use.
Citizen Systems’ electronic calculators are active in all sorts of daily life and business settings.

Printer Series




540DPN

- Professional Thermo Printer.
- Currency conversion.
- Check&correct function for the last 99 entries.
- 2-color display.
- 1-color printing.
- Print speed (10 lines/sec.).
- W226.4 x D323.5 x H70.0mm/1,400.0g

LCD Display samples
LCD color changes to either Green or Red

If amount is positive,LCD color is in Green.



If amount is negative,LCD color is in Red.



How it works,

Key entry	Display	Print
1000 +	1000	1000. +
2000 +	3000	2000. +
3000 +	6000	3000. +
10000 −	- 4000	10000. −
*	- 4000	4000. -T
TAX +	- +TAX 4200	4000. −
	Red is amount in Negative	5. %
		200.
	Green is amount in Positive	4200. -T



520DPN

- Currency conversion.
- Mini Thermo Printer.
- Back-lit 2-color LCD display.
- 1-color printing.
- Print speed (10 lines/sec.).
- W160.3 x D222.0 x H63.0mm/1,000.0g



350DPN

- Currency conversion.
- Check&correct function for the last 99 entries.
- 2-color printing.
- Metalic paper roll holder.
- Print speed (4.3 lines/sec.).
- W226.4 x D300.5 x H70.0mm/1,400.0g



355DPN

- Cost-sell-margin.
- 2-Color Printing.
- Digitron display.
- Metalic paper roll holder.
- Print speed (3.6 lines/sec.).
- W226.4 x D300.5 x H70.0mm/1,400.0g



440DPN

- Cost-sell-margin.
- 2-Color Printing.
- Digitron display.
- Metalic paper roll holder.
- Print speed (3.6 lines/sec.).
- W226.4 x D300.5 x H70.0mm/1,400.0g



CX-32N

- Currency conversion.
- Cost-sell-margin.
- 2-color printing.
- Battery or AC adaptor.
- Metalic paper roll holder.
- Print speed (2.0 lines/sec.).
- W147.0 x D226.0 x H68.0mm/410.0g



CX-77BN

- Cost-sell-margin.
- 1-color printing.
- Time-/date-/number-printing.
- Battery or AC adaptor.
- Metalic paper roll holder.
- Print speed (2.0 lines/sec.).
- W147.0 x D226.0 x H68.0mm/410.0g



CX-77WN

- Currency conversion.
- 1-color printing.
- Time-/date-/number-printing.
- Battery or AC adaptor.
- Metalic paper roll holder.
- Print speed (2.0 lines/sec.).
- W147.0 x D226.0 x H68.0mm/410.0g

Printer Series



CX-121N

- Currency conversion.
- 2-color printing.
- Metalic paper roll holder.
- Print speed (2.4 lines/sec.).
- W194.0 x D260.0 x H66.0mm/728.0g



CX-185N

- Currency conversion.
- Cost-sell-margin.
- 2-color printing.
- Metalic paper roll holder.
- Print speed (2.7 lines/sec.).
- W194.0 x D260.0 x H66.0mm/729.0g

Model		540DPN	520DPN	350DPN	355DPN	440DPN	CX-32N	CX-77BN	CX-77WN	CX-121N	CX-185N
Display	Digit	12	12	12	12	14	12	12	12	12	12
	Line	1	1	1	1	1	1	1	1	1	1
	LCD display			●			●	●	●	●	
	Digitron display				●	●					●
Functions	2-Color display	●	●								
	Currency conversion $·£·¢	●	●	●			●		●	●	●
	Cost-Sell-Margin				●	●	●	●			●
	Check & Correct	●		●							
	Tax	●	●	●	●	●	●	●	●	●	●
	Mark up	●	●	●				●	●	●	
	Grand total	●	●	●	●	●				●	●
	Item count	●		●	●	●					
	Delta %	●		●	●	●				●	●
	Rounding	●	●	●	●	●	●	●	●	●	●
	# / Date print							●	●		
	Square root				●	●					
Print	Black	Thermo	Thermo								
	Black / Red			●	●	●					
	Blue							●	●		
	Blue / Red						●			●	●
	Paper width in mm	58	58	58	58	58	58	58	58	58	58
	Print speed lines / sec	10	10	4.3	3.6	3.6	2.0	2.0	2.0	2.4	2.7
Power	AC adaptor	●	●	●	●	●	●	Adaptor opt.	Adaptor opt.	●	●
	Battery						●	●	●		

Scientific Series



SRP-285N

- 10+2 Digit.
- 455 Functions.
- 2-Line dot matrix display.
- 148K bytes program memory.
- W84.3 x D164.5 x H21.2mm/133.0g



SRP-280N

- 10+2 Digit.
- 396 Functions.
- 2-Line dot matrix display.
- 74K bytes program memory.
- W84.3 x D164.5 x H21.2mm/132.0g



SRP-265N

- 8+2 Digit.
- 129 Functions.
- 1-Line Display.
- 40 steps program memory.
- W80.0 x D154.0 x H14.0mm/92.0g



SRP-145N
SRP-145NGR
SRP-145NOR
SRP-145NPU

- 8+2 Digit.
- 86 Functions.
- 1-Line Display.
- 40 steps program memory.
- W84.0 x D154.0 x H19.0mm/118.0g

SRP-145N Color Variation



SRP-145NGR (Green) | SRP-145NOR (Orange) | SRP-1450NPU (Purple)



SR-281N

- 12+2 Digit.
- 526 Functions.
- 2-Line Display.
- 170 metric conversions.
- W80.0x D154.0 x H14.0mm/92.0g

Scientific Series

Scientific Series



SR-270X
SR-270XGR
SR-270XOR
SR-270XPU

- 10+2 Digit.
- 236 Functions.
- 2-Line Display.
- W84.3 x D164.5 x H21.2mm/133.0g

HARD CASE

SR-270X Color Variation



SR-270XGR (Green) | SR-270XOR (Orange) | SR-270XPU (Purple)



SR-270N
SR-270NGR
SR-270NOR
SR-270NPU

- 10+2 Digit.
- 236 Functions.
- 2-Line Display.
- W80.0 x D154.0 x H14.0mm/92.0g

HARD CASE

SR-270N Color Variation



SR-270NGR (Green) | SR-270NOR (Orange) | SR-270NPU (Purple)



SR-260N
SR-260NGR
SR-260NOR
SR-260NPU

- 10+2 Digit.
- 165 Functions.
- 1-Line Display.
- W80.0 x D154.0 x H14.0mm/92.0g

HARD CASE

SR-260N Color Variation



SR-260NGR (Green) | SR-260NOR (Orange) | SR-260NPU (Purple)



SR-135N
SR-135NGR
SR-135NOR
SR-135NPU

- 8+2 Digit.
- 128 Functions.
- 1-Line Display.
- W84.0 x D154.0 x H19.0mm/118.0g

HARD CASE

SR-135N Color Variation



SR-135NGR (Green) | SR-135NOR (Orange) | SR-135NPU (Purple)

Model		SRP-285N	SRP-280N	SRP-265N	SRP-145N	SR-281N	SR-270X	SR-270N	SR-260N	SR-135N
Digits displayed		Dot Matrix +Numeric	Dot Matrix +Numeric	Numeric x 1line	Numeric x 1line	Dot Matrix +Numeric	Dot Matrix	Dot Matrix +Numeric	Numeric x 1line	Numeric x 1line
Calculating digits		up to 24	up to 24	11	11	14	16	up to 24	14	12
Scientific notation		10+2	10+2	8+2	8+2	12+2	10+2	10+2	10+2	8+2
Functions		455	455	129	86	526	251	236	165	128
Program		148 Bytes	148 Bytes	40 Steps	40 Steps					
Parenthese level		13	13	7	7	24	25	15	15	15
Max.number of pending value		21	21	8	8	6	10	21	7	5
Max.number of pending operation		30	30	7	7	6	25	30	6	4
Independent memory (MR)		●	●	●	●	●			●	●
Store and recall		8	8			9	7	9		
Sum to memory (M+)		●	●	●	●	●	●	●	●	●
Complex numbers		●	●			●			●	●
Clear the last digit entered		●	●	●	●	●	●	●	●	●
Complement calculation		●	●			●			●	●
Calculates in DEG,RAD,GRAD		●	●	●	●	●	●	●	●	●
Converts DEG,RAD,GRAD		●	●			●	●	●	●	●
Permutations and combinations		●	●			●	●	●	●	
Scientific constant		20	20	15		136				
Metric conversions		170	170	13		170			12	
RND		●	●				●	●		
Random number <0,1>		●	●			●	●	●	●	●
Int range(Random number) <a,b>		●								
Logical calculation		●	●			●				
Calculates in DEC,HEX,OCT,BIN		●	●			●			●	●
Converts DEC,HEX,OCT,BIN		●	●			●			●	●
1-Var statistics		●	●	●	●	●	●	●	●	●
2-Var statistics,Linear regression		●	●			●	●	●		
STAT(WITH EDIT)		●	●			●	●		●	
Capability of production CP		●				●			●	
Capability of production CPK		●				●			●	
Normal distribution (PQRt)		●								
Int/Fraction part						●				
Fraction		●	●	●		●	●	●	●	
Formula set		●	●	●	●					
REPLAY ↑ ↓ (X → Y)		●	●	●	●		●	●	●	●
REPLAY ←→		●	●			●	●	●		
ANSWER FUN.		●	●				●	●		
VLE/QE		●	●							
SCI (F-E)		●	●	●	●	●	●	●	●	●
ENG		●	●			●	●	●	●	
Power	Main	LR44	LR44	LR44 x 2	LR44 x 2	AA x 2	LR44 x 2	LR44 x 2	LR44 x 2	LR44 x 2
	Back up	SC2911					SC2911			
Color					4			4	4	4



(Black)

SDC-888XBK
SDC-888XBL
SDC-888XWH
SDC-888XRD

- Double memory.
- Mark up.
- Square root.
- 12 Digit.
- W158.0 x D203.0 x H31.0mm/228.0g

12 DGT | MII KEY | MU

SDC-888X Color Variation



SDC-888XBL
(Blue)



SDC-888XWH
(White)



SDC-888XRD
(Red)



SDC-664S

- Currency conversion.
- Mark up.
- Square root.
- 16 Digit.
- W153.0 x D199.0 x H30.5mm/202.5g

16 DGT | CONVERSION | MU



SDC-554S

- Mark up.
- Square root.
- 14 Digit.
- W153.0 x D199.0 x H30.5mm/209.0g

14 DGT | MU | TAX CALCULATION




SDC-444S

- Double memory.
- Mark up.
- Square root.
- 12 Digit.
- W153.0 x D199.0 x H30.5mm/209.0g

12 DGT | MII KEY | MU

NEW




SDC-435N

- Mark up.
- 16 Digit.
- W158.0 x D203.5 x H31.0mm/234.0g

16 DGT | MU | TAX CALCULATION

NEW



SDC-414N

- Double memory.
- Mark up.
- 14 Digit.
- W158.0 x D203.5 x H31.0mm/234.0g

14 DGT | MII KEY | MU

NEW



SDC-395N

- Grand total.
- Mark up.
- Square root.
- 16 Digit.
- W143.0 x D192.0 x H39.5mm/196.0g

16 DGT | GT | MU | TAX CALCULATION



SDC-660II

- Grand total.
- Mark up.
- 16 Digit.
- W156.0 x D159.0 x H31.5mm/165.0g

16 DGT | GT | MU | TAX CALCULATION



SDC-640II

- Double memory.
- Mark up.
- 14 Digit.
- W156.0 x D158.5 x H31.5mm/165.0g

14 DGT | MII KEY | MU




SDC-620II

- Grand total.
- Mark up.
- Square root.
- 12 Digit.
- W156.0 x D159.0 x H31.5mm/165.0g

12 DGT | GT | MU | TAX CALCULATION

NEW




SDC-740N

- Double memory.
- Mark up.
- Square root.
- 14 Digit.
- W158.0 x D203.5 x H31.0mm/231.0g

14 DGT | MII KEY | MU

NEW



SDC-760N

- Mark up.
- Square root.
- 16 Digit.
- W158.0 x D203.5 x H31.0mm/231.0g

16 DGT | MU | TAX CALCULATION

Desktop Series

Desktop Series

NEW



SDC-8780LⅡ

- Double memory.
- Mark up.
- Tilt display.
- 12 Digit.
- W140.0 x D188.0 x H15.0mm/225.0g

12 DGT | MII KEY | MU | TILT



SDC-368

- Double memory.
- Mark up.
- Square root.
- Tilt display.
- 12 Digit.
- W152.0 x D152.0 x H27.0mm/164.0g

12 DGT | MII KEY | MU | TILT



SDC-868L

- Double memory.
- Mark up.
- Tilt display.
- 12 Digit.
- W152.0 x D153.5 x H28.5mm/172.0g

12 DGT | MII KEY | MU | TILT

CHECK & CORRECT MODEL



CT-600J

- Check & correct.
- Double memory.
- Square root.
- 12 Digit.
- W145.5 x D188.0 x H34.0mm/209.0g

12 DGT | Check & Correct | MII KEY



CT-666

- Check & correct.
- Cost-Sell-Margin.
- Mark up.
- Square root.
- 12 Digit.
- W142.0 x D185.0 x H44.0mm/214.0g

12 DGT | GT | Check & Correct | C S M | MU | TAX | 120 STEPS | AUTO REPLAY | MEMORY Correction



CT-770Ⅱ

- Check & correct.
- 3-line display.
- Insertion key.
- Mark up.
- Square root.
- 12 Digit.
- W146.0 x D199.5 x H38.0mm/239.0g

12 DGT | GT | Check & Correct | IN KEY | MU | TAX | 3-LINE | 100 STEPS | AUTO REPLAY | MEMORY Correction



CT-780

- Check & correct.
- Grand total.
- Mark up.
- Square root.
- 14 Digit.
- W159.0 x D208.0 x H35.0mm/263.0g

14 DGT | Check & Correct | GT | MU | TAX | 120 STEPS | AUTO REPLAY | MEMORY Correction

Semi Desktop Series



SDC-3910

- Currency & conversion.
- Mark up.
- Square root.
- 10 Digit.
- W108.0 x D135.0 x H24.0mm/105.0g

10 DGT | CONVERSION | MU



SDC-3920

- Double tax.
- Mark up.
- 10 Digit.
- W108.0 x D135.0 x H24.0mm/105.0g

10 DGT | Double TAX | MU



SDC-011S

- Square root.
- 8 Digit.
- W87.0 x D119.7 x H23.1mm/66.0g

8 DGT



SDC-022S

- Square root.
- 10 Digit.
- W87.0 x D119.7 x H23.1mm/66.0g

10 DGT

NEW



SDC-805BN

- Square root.
- 8 Digit.
- W102.0 x D124.0 x H25.0mm/82.0g

8 DGT

NEW



SDC-810BN

- 10 Digit.
- W102.0 x D124.0 x H25.0mm/94.0g

10 DGT

NEW



SDC-812BN

- 12 Digit.
- W102.0 x D124.0 x H25.0mm/94.0g

12 DGT

CHECK & CORRECT MODEL



CT-500JP

- Check & correct.
- Mark up.
- Square root.
- 12 Digit.

W134.0 x D136.0 x H27.5mm/140.0g

12 DGT · Check Correct · MU



CT-555N

- Check & correct.
- Mark up.
- Square root.
- 12 Digit.

W128.0 x D130.0 x H34.0mm/81.0g

12 DGT · Check Correct · MU · TAX



CT-500J

- Check & correct.
- Mark up.
- Square root.
- 12 Digit.

W134.0 x D136.0 x H27.5mm/140.0g

12 DGT · Check Correct · MU



CT-500VII

- Check & correct.
- Mark up.
- 10 Digit.

W134.0 x D135.5 x H27.5mm/140.0g

10 DGT · Check Correct · MU · TAX

		Display		Functions										Power	
		Digit	Line	Check & Correct	Currency conversion	Tax	Grand total	Cost-Sell-Margin	Mark up	Rounding	Double memory	Square root	Tilt display	Battery	Solar
Desktop	SDC-888XBK	12	1						●		●	●		●	●
	SDC-888XBL	12	1						●		●	●		●	●
	SDC-888XWH	12	1						●		●	●		●	●
	SDC-888XRD	12	1						●		●	●		●	●
	SDC-664S	16	1		●							●		●	●
	SDC-554S	14	1			●			●			●		●	●
	SDC-444S	12	1						●		●	●		●	●
	SDC-435N	16	1			●			●					●	●
	SDC-414N	14	1						●		●			●	●
	SDC-395N	16	1			●	●		●			●		●	●
	SDC-660II	16	1			●	●		●					●	●
	SDC-640II	14	1						●		●			●	●
	SDC-620II	12	1			●	●		●			●		●	●
	SDC-740N	14	1						●		●	●		●	●
	SDC-760N	16	1			●			●			●		●	●
	SDC-8780LII	12	1						●		●		●	●	●
	SDC-368	12	1						●		●	●	●	●	●
	SDC-868L	12	1						●		●			●	●
	CT-600J	12	1	●						●	●	●		●	●
	CT-666	12	1	●		●	●	●		●		●		●	●
	CT-770II	12	3	●			●		●	●		●		●	●
	CT-780	14	1	●		●	●		●	●		●		●	●
Semi Desktop	SDC-3910	10	1		●				●			●		●	●
	SDC-3920	10	1						●			●		●	●
	SDC-011S	8	1											●	●
	SDC-022S	10	1									●		●	●
	SDC-805BN	8	1									●		●	●
	SDC-810BN	10	1											●	●
	SDC-812BN	12	1											●	●
	CT-500JP	12	1	●					●			●		●	●
	CT-555N	12	1	●		●			●			●		●	●
	CT-500J	12	1	●					●			●		●	●
	CT-500VII	10	1	●		●			●			●		●	●

Pocket Series



CT-300J

- Check & correct.
- Square root.
- 10 Digit.
- W72.0 x D120.0 x H9.0mm/50.0g

10 DGT | Check & Correct



SLD-1010Ⅱ

- Square root.
- 10 Digit.
- W69.0 x D115.1 x H10.0mm/46.0g

10 DGT



SLD-1012Ⅱ

- Square root.
- 12 Digit.
- W69.0 x D115.1 x H10.0mm/46.0g

12 DGT



SLD-322BK

- Square root.
- 8 Digit.
- W64.0 x D105.0 x H9.0mm/40.0g

8 DGT | RUBBER KEY



SLD-322RG

- Square root.
- 10 Digit.
- W64.0 x D105.0 x H9.0mm/40.0g

10 DGT | RUBBER KEY



SLD-366

- Currency conversion.
- 10 Digit.
- W65.5 x D104.0 x H10.0mm/47.5g

10 DGT | HARD CASE



SLD-377

- Currency conversion.
- 10 Digit.
- W64.0 x D105.0 x H9.0mm/41.0g

10 DGT



SLD-7708

- Square root.
- Metal on top.
- 8 Digit.
- W68.0 x D112.0 x H6.5mm/41.0g

8 DGT



FS-60BKⅡ

- Square root.
- 8 Digit.
- W96.5 x D69.0 x H11.5mm/49.0g

8 DGT | HARD CASE

NEW



SLD-100N

- Square root.
- 8 Digit.
- W60.0 x D89.5 x H10.8mm/32.0g

8 DGT

NEW



SLD-200N

- Square root.
- 8 Digit.
- W60.0 x D97.5 x H10.3mm/34.0g

8 DGT

NEW



LC-110N

- Square root.
- 8 Digit.
- W59.0 x D88.9 x H10.8mm/30.0g

8 DGT | RUBBER KEY

NEW



LC-210N

- Square root.
- 8 Digit.
- W62.2 x D97.9 x H10.8mm/34.0g

8 DGT | RUBBER KEY

NEW



LC-310N

- AA Battery
- Square root.
- 8 Digit.
- W69.3 x D114.0 x H18.2mm/63.0g

8 DGT | RUBBER KEY

Model		CT-300J	SLD-1010II	SLD-1012II	SLD-322BK	SLD-322RG	SLD-366	SLD-377	SLD-7708	FS-60BKII	SLD-100N	SLD-200N	LC-110N	LC-210N	LC-310N
Digit		10	10	12	8	10	10	10	8	8	8	8	8	8	8
Currency conversion							●	●							
Square root		●	●	●	●	●			●	●	●	●	●	●	●
Hard case							●	●		●					
Power	Battery	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Solar	●	●	●	●	●	●	●	●	●	●	●			

Model Index

Model No.	Unit				Master Carton			Barcode	Page
	Dimension (W×D×Hmm)			Weight (g)	Packed Q'TY	M3	Kg		
540DPN	226.4	323.5	70.0	1400	5	0.081	12.62	4562195130598	2
520DPN	160.3	222.0	63.0	1000	10	0.088	16.67	4562195130772	2
350DPN	226.4	300.5	70.0	1400	5	0.081	12.62	4562195130604	3
355DPN	226.4	300.5	70.0	1400	5	0.081	12.62	4562195130611	3
440DPN	226.4	300.5	70.0	1400	5	0.081	12.62	4562195130628	3
CX-32N	147	226	68.0	410	10	0.059	8.76	4562195132776	3
CX-77BN	102	200	44.0	268	20	0.070	14.36	4562195132806	4
CX-77WN	102	200	44.0	268	20	0.070	14.36	4562195132813	4
CX-121N	194	260	66.0	728	6	0.057	7.78	4562195132783	4
CX-185N	194	260	66.0	729	6	0.057	7.78	4562195132790	4
SRP-285N	84.3	164.5	21.2	133	40	0.029	11.28	4562195131847	5
SRP-280N	84.3	164.5	21.2	132	40	0.029	11.24	4562195131830	5
SRP-265N	80.0	154	14.0	92	80	0.048	19.65	4562195131823	5
SRP-145N	84.0	154	19.0	118	80	0.048	16.72	4562195131786	5
SRP-145NGR	84.0	154	19.0	118	80	0.048	16.72	4562195131793	5
SRP-145NOR	84.0	154	19.0	118	80	0.048	16.72	4562195131816	5
SRP-145NPU	84.0	154	19.0	118	80	0.048	16.72	4562195131809	5
SR-281N	80.0	154	14.0	92	80	0.058	24.19	4562195131779	5
SR-270X	84.3	164.5	21.2	133	40	0.030	11.94	4562195130710	6
SR-270XGR	84.3	164.5	21.2	133	40	0.030	11.94	4562195131748	6
SR-270XOR	84.3	164.5	21.2	133	40	0.030	11.94	4562195131762	6
SR-270XPU	84.3	164.5	21.2	133	40	0.030	11.94	4562195131755	6
SR-270N	80.0	154	14.0	92	80	0.048	19.65	4562195131700	6
SR-270NGR	80.0	154	14.0	92	80	0.048	19.65	4562195131717	6
SR-270NOR	80.0	154	14.0	92	80	0.048	19.65	4562195131731	6
SR-270NPU	80.0	154	14.0	92	80	0.048	19.65	4562195131724	6
SR-260N	80.0	154	14.0	92	80	0.052	21.25	4562195131663	6
SR-260NGR	80.0	154	14.0	92	80	0.052	21.25	4562195131670	6
SR-260NOR	80.0	154	14.0	92	80	0.052	21.25	4562195131694	6
SR-260NPU	80.0	154	14.0	92	80	0.052	21.25	4562195131687	6
SR-135N	84.0	154	19.0	118	80	0.048	16.72	4562195131625	6
SR-135NGR	84.0	154	19.0	118	80	0.048	16.72	4562195131632	6
SR-135NOR	84.0	154	19.0	118	80	0.048	16.72	4562195131656	6
SR-135NPU	84.0	154	19.0	118	80	0.048	16.72	4562195131649	6
SDC-888XBK	158	203	31.0	228	40	0.112	13.95	4562195132738	8
SDC-888XBL	158	203	31.0	228	40	0.112	13.95	4562195132745	8
SDC-888XWH	158	203	31.0	228	40	0.112	13.95	4562195132769	8
SDC-888XRD	158	203	31.0	228	40	0.112	13.95	4562195132752	8
SDC-664S	153	199	30.5	202	40	0.058	13.43	4562195132820	8
SDC-554S	153	199	30.5	209	40	0.063	13.65	4562195130680	8
SDC-444S	153	199	30.5	209	40	0.063	13.65	4562195130673	8
SDC-435N	158	203.5	31.0	234	40	0.063	14.7	4562195133926	8
SDC-414N	158	203.5	31.0	234	40	0.063	14.7	4562195133933	8
SDC-395N	143	192	39.5	196	40	0.059	12.7	4562195133940	9
SDC-660 II	156	159	31.5	165	40	0.054	11.1	4966006703351	9
SDC-640 II	156	158.5	31.5	165	40	0.054	11.0	4966006703344	9
SDC-620 II	156	159	31.5	165	40	0.054	11.1	4966006703337	9
SDC-740N	158	203.5	31.0	231	40	0.063	14.8	4562195133957	9
SDC-760N	158	203.5	31.0	231	40	0.063	14.8	4562195133964	9
SDC-8780LII	140	188	15.0	225	40	0.044	13.4	4562195131274	10
SDC-368	152	152	27.0	164	40	0.038	10.0	4966006610390	10
SDC-868L	152	153.5	28.5	172	40	0.038	10.2	4966006683301	10
CT-600J	145.5	188	34.0	209	40	0.089	15.7	4562195130314	10
CT-666	142	185	44.0	214	40	0.073	14.5	4966006704556	10
CT-770 II	146	199.5	38.0	239	40	0.110	18.1	4966006702576	10
CT-780	159	208	35.0	263	40	0.125	19.5	4562195130284	10
SDC-3910	108	135	24.0	105	80	0.048	12.7	4562195130062	11
SDC-3920	108	135	24.0	105	80	0.048	12.7	4562195130659	11
SDC-011S	87.0	119.7	23.1	66	160	0.061	16.8	4562195130697	11
SDC-022S	87.0	119.7	23.1	66	160	0.061	16.8	4562195130703	11
SDC-805BN	102	124	25.0	82	80	0.033	10.3	4562195133308	11
SDC-810BN	102	124	25.0	94	80	0.033	11.3	4562195133315	11
SDC-812BN	102	124	25.0	94	80	0.033	11.3	4562195133322	11
CT-500JP	134	136	27.5	140	40	0.058	10.9	4562195132844	12
CT-555N	128	130	34.0	81	80	0.055	11.83	4562195132837	12
CT-500J	134	136	27.5	140	40	0.058	10.9	4562195130055	12
CT-500V II	134	135.5	27.5	140	40	0.057	10.8	4562195130307	12
CT-300J	72.0	120	9.0	50	160	0.045	17.2	4562195131267	14
SLD-1010 II	69.0	115.1	10.0	46	200	0.076	20.0	4966006704464	14
SLD-1012 II	69.0	115.1	10.0	46	200	0.076	20.0	4966006704457	14
SLD-322BK	64.0	105	9.0	40	160	0.024	8.98	4562195130222	14
SLD-322RG	64.0	105	9.0	40	160	0.024	8.98	4562195130246	14
SLD-366	65.5	104	10.0	47	160	0.026	10.3	4562195130635	14
SLD-377	64.0	105	9.0	41	160	0.024	8.98	4562195130642	14
SLD-7708	68.0	112	6.5	41	160	0.037	12.8	4966006683226	14
FS-60BK II	96.5	69.0	11.5	49	240	0.038	15.0	4966006683530	14
SLD-100N	60.0	89.5	10.8	32	240	0.041	15.7	4562195133285	15
SLD-200N	60.0	97.5	10.3	34	240	0.043	16.7	4562195133339	15
LC-110N	59.0	88.9	10.8	30	240	0.040	15.2	4562195133254	15
LC-210N	62.2	97.9	10.8	34	240	0.043	16.7	4562195133261	15
LC-310N	69.3	114	18.2	63	240	0.053	20.9	4562195133278	15

Memo

Feature's Guide

- 8 DGT — 8 DIGIT
- 10 DGT — 10 DIGIT
- 12 DGT — 12 DIGIT
- 14 DGT — 14 DIGIT
- 16 DGT — 16 DIGIT
- Cell Battery Power
- AA — AA Battery Power
- Solar Power
- Dual Power
- MII KEY — Double Memory Key
- MU — Mark Up
- GT — Grand Total
- IN KEY — Insertion Key
- 3-LINE — 3 Line Display
- TILT — Tilt Display
- TAX CALCULATION — TAX Calculation
- Double TAX — Double TAX Calculation
- CONVERSION — Currency Conversion
- Check & Correct — Check & Correct
- C S M — Cost-sell-margin Calculation
- MEMORY Correction — Memory Correction
- 100 STEPS — 100 Steps Replay
- 120 STEPS — 120 Steps Replay
- AUTO REPLAY — Auto Replay
- RUBBER KEY — Rubber Key
- PLASTIC CASE — Plastic Case
- HARD CASE — Hard Case
- 148 Bytes — 148 Bytes
- 400 Bytes — 400 Bytes
- 40 STEPS — 40 Steps Program Memory
- 170 Metric Conversions — 170 Metric Conversions